BARIATRIC PRODUCTS
UP TO 400 KG

HMN

CE

WWW.HMN.DK/EN

INDEX

INTRODUCTION.....2
M2 200 KG, HEIGHT ADJUSTABLE.....3
M2 200 KG SELF-PROPELLED.....4
M2 300 KG STANDARD & WIDE.....5
M2 400 KG 6
M2 200 KG WIDE EL-TIP.....7
M2 200 KG WIDE EL-TIP WITH JOYSTICK.....8
M2 300 KG WIDE EL-TIP.....9
M2 400 KG WIDE EL-TIP.....10
M2 MULTI-TIP BIG 200 KG.....11
M2 MULTI-TIP BIG WITH JOYSTICK.....12
M2 MULTI-TIP BIG 250 KG.....13
M2 200 KG JOYSTICK.....14
M2 XXL ACCESSORIES.....15-18
200 KG SHOWER STOOL.....19
NEPTUN SUPER SOFT 300 KG SHOWER STOOL.....20
400 KG SHOWER STOOL.....21
FREESTANDING TOILET AID, FRIGG 200 KG.....22
TECHNICAL DATA.....23-34

CE

INFO

BARIATRIC

Our products are known for their high quality as they are produced in the best possible materials. In this brochure you can read about our range of bariatric products for the larger and largest users.

You can read about our large selection of M2 Shower commode chairs. All of them have:

- Frames in stainless steel
- Soft PU foam seats
- Closed axis wheel that makes them resistant to hair and dirt
- Easy to use features
- A large selection of accessories

In addition, we have both a 200 and 300 kg height adjustable shower stools in stainless steel.

Happy reading!

M2

200 KG

HEIGHT ADJUSTABLE, STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
Art.No. 310272

M2 200 kg has a seat width of 56 cm. The chair is made so that it can withstand a user load of max. 200 kg and yet the chair is height adjustable. The seat height can be adjusted from 46 cm to 54,5 cm. It's normally delivered with 125 mm wheels, but if it's delivered with 100 mm wheels, the seat height will range from 43,5 to 52 cm.

Despite the fact that the chair is made for larger users, we have hept the design simple so that it is easy to clean. The seat is made of soft PU foam and can easily be taken off the cleaning. The backrest and the armrest are also made of PU foam.

TECHNICAL DATA PAGE 24

USER GUIDE

SPARE PARTS

M2 200 KG, HEIGHT ADJUSTABLE	
Material	Stainless steel
Wheels	125 mm
Max. Exterior width	68 cm
Weight of chair	18,5 kg
Seat heights	46, 48, 50, 52 & 54,5 cm
Seat width	56 cm
Width between armrests	56 cm
Max. User weight	200 kg

M2

200 KG

SELF-PROPELLED, STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
Art.No. 310287

when the user is
INDEPENDENT

M2 200 kg self-propelled with 24” wheels has great comfort for the self-reliant user. The self-propelled wheels ensure that users who have the power can drive to and from the toilet and bathe on their own.

It is equipped with driving handles that makes the chair easy to push for the helper if needed. It is also extremely easy to clean.

The self-propelled wheels are lightweight magnesium wheels, which provide great stability—both when moving and while driving. The chair is height adjustable in 3 seat heights: 50 cm, 52 cm and 59 cm. If it is tight with the space at home, it can be delivered without handrims om the wheels. This makes the chair 3 cm narrower (Widht: 70 cm)

TECHNICAL DATA
PAGE 24

USER GUIDE

SPARE PARTS

M2 200 KG SELF-PROPELLED	
Material	Stainless steel
Wheels	**Self-propelled:** 24” **Front wheels:** 125 mm
Max. Exterior width	**Without handrems:** 70,5 cm **With handrems:** 73 cm
Weight of chair	25 kg
Seat heights	App.. 50, 52 og 59 cm
Seat width	56 cm
Width between armrests	56 cm
Max. User weight	200 kg

M2

300 KG

STANDARD & WIDE, STAINLESS STEEL

HORSESHOE SEAT, STANDARD, STAINLESS STEEL
Art.No. 310280

HORSESHOE SEAT, WIDE, STAINLESS STEEL
Art.No. 310284

With M2 300 kg Standard & Wide even the largest users can easily be placed and handled in toilet and shower situations. They has a fixed seat height of 56,5 cm. The chair is equipped with a PU foam seat with a width of 56 cm.

The back and armrests are also produced in PU foam, making the chairs comfortable to sit in.

The chairs is kept in a simple design and are easy to clean. M2 300 kg Standard & Wide is fitted with 150 mm wheels, including a directional fixed wheel, making the chair very easy to maneuver.

TECHNICAL DATA PAGE 25

USER GUIDE

SPARE PARTS

	M2 300 KG STD	M2 300 KG WIDE
Material	Stainless steel	
Wheels	150 mm	
Max. Exterior width	70 cm	82 cm
Weight of chair	20,4 kg	24,5 kg
Seat heights	56,5 cm	
Seat width	56 cm	
Width between armrests	60 cm	70 cm
Max. User weight	300 kg	

M2
400 KG
STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
Art.No. 310294

With M2 400 kg Standard & Wide even the largest users can easily be placed and handled in toilet and shower situations. They has a fixed seat height of 56 cm. The chair is equipped with a PU foam seat with a width of 95 cm.

The armrests are also produced in PU foam, making the chairs comfortable to sit in.

The shower commode chair is provided with 125 mm double wheels which makes it easy to maneuver, despite being large in size.

TECHNICAL DATA PAGE 26

USER GUIDE

SPARE PARTS

	M2 400 KG
Material	Stainless steel
Wheels	125 mm
Max. Exterior width	101 cm
Weight of chair	30 kg
Seat heights	56 cm
Seat width	95 cm
Width between armrests	91 cm
Max. User weight	400 kg

M2

200 KG
WIDE EL-TIP, STAINLESS STEEL

HORSESHOE SEAT, STANDARD, STAINLESS STEEL
Art.No. 310212

With M2 200 kg Wide El-Tip large users can be easily placed in a shower commode chair. The chair can handle a user weight of up to 200 kg and have 54 cm between the armrests. This allows that even large users can be lifted into the shower commode chair and be placed correctly and safely.

Despite the large user weight, the frame is still simple constructed and easy to clean. It's provided with 150 mm wheels which makes it easy to maneuver. The elctrical system is ensuring a comfortable and smooth tilting for the user as well as good working enviroment for the helper.

TECHNICAL DATA PAGE 27

USER GUIDE

SPARE PARTS

M2 200 KG WIDE EL-TIP	
Material	Stainless steel
Wheels	150 mm
Max. Exterior width	68 cm
Weight of chair	29 kg
Seat heights	App. 58,5 cm
Seat width	56 cm
Width between armrests	56 cm
Max. User weight	200 kg

M2

200 KG

WIDE EL-TIP W. JOYSTICK, STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
Art.No. 310289

Our new Shower Commode chairs with joystick provide a better working environment for the staff and increased independence for the user. And they are waterproof! We recommend choosing an M2 chair with joystick if you experience the following:

The staff find it difficult to drive the user around in the current shower commode chair. Here, the joystick function can act as an auxiliary engine for the staff.

You have a heavy user and it is stressful for the staff to drive a regular chair even though they are 2 people. With a joystick chair, 1 person will be enough.

If you focus on the independence of your users. A chair with Joystick will significantly increase the user's independence with regard to bath and toilet.

TECHNICAL DATA PAGE 27

USER GUIDE

SPARE PARTS

M2 200 KG WIDE EL-TIP WITH JOYSTICK	
Material	Stainless steel
Wheels	**Front wheels: 150 mm** **Rear wheels: 200 mm**
Max. Exterior width	68 cm
Weight of chair	44,4 kg
Seat heights	App. 58,5 cm
Seat width	56 cm
Width between armrests	56 cm
Max. User weight	200 kg

M2

300 KG
WIDE EL-TIP, STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
Art.No. 310218

M2 300 kg Wide El-Tip can handle a user weight of up to 300 kg and provides 70 cm between the armrests.

This allows large users to be lifted into the shower commode chair and be placed correctly and safely. Despite the large user weight, the frame is still simply constructed and easy to clean.

The electrical system is ensuring a comfortable and smooth tilt for the user as well as a good working enviroment for the helper.

The shower commode chair is provided with 150 mm wheels which makes it easy to maneuver, despite being large in size.

TECHNICAL DATA PAGE 28

USER GUIDE

SPARE PARTS

M2 300 KG WIDE EL-TIP	
Material	Stainless steel
Wheels	150 mm
Max. Exterior width	83 cm
Weight of chair	32 cm
Seat heights	App. 61 cm
Seat width	74 cm
Width between armrests	70 cm
Max. User weight	300 kg

M2

400 KG
WIDE EL-TIP, STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
Art.No. 310242

M2 400 kg Wide El-Tip can handle user weights up to 400 kg and provides 89cm between the armrests.

This allows even the largest users to be lifted into the shower commode chair and be placed correctly and safely. Despite the large user weight, the frame is still simply constructed and easy to clean.

The electrical system is ensuring a comfortable and smooth tilt for the user, as well as a good working enviroment for the helper.

The shower commode chair is provided with 125 mm double wheels which makes it easy to maneuver, despite being large in size.

TECHNICAL DATA PAGE 29

USER GUIDE

SPARE PARTS

M2 400 KG WIDE EL-TIP	
Material	Stainless steel
Wheels	125 mm
Max. Exterior width	103 cm
Weight of chair	50 kg
Seat heights	App. 56 cm
Seat width	95 cm
Width between armrests	89 cm
Max. User weight	400 kg

M2

MULTI-TIP BIG 200 KG
STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
BOXED: Art.No. 310804-B

CAN BE DELIVERED ASSEMBLED FOR EXTRA SERVICE CHARGE. USE PRODUCTS ART.NO. + ART.NO. 310363

With out M2 Multi-Tip Big 200 Kgthere is room for most users. It can handle a user weight up to 200 kg and has 54 cm between the armrests. The armrests are fitted with soft PU foam and snap lock. The electric height adjustment, which is independent of the seat tip, easily provides the right working height and setting position and quickly becomes an indispensable to-op for the helper. All this is done on the remote control.

It is equipped with 150 mm wheels, which increases the driveability and significantly reduces the load for the helper. The seat height can be adjusted from 55 to 101 cm, so there are options for adjusting the seat at the right height for best possible use.

TECHNICAL DATA PAGE 30

USER GUIDE

SPARE PARTS

M2 MULTI-TIP BIG 200 KG	
Material	Stainless steel
Wheels	150 cm
Max. Exterior width	71 cm
Weight of chair	40,5 kg
Seat heights	App. 55—101 cm
Seat width	56 cm
Width between armrests	56 cm
Max. User weight	200 kg

M2

MULTI-TIP BIG
WITH JOYSTICK, STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
Art.no. 310809

Our new M2 Shower Commode chairs with Joystick provide a better working environment for the staff and increased independence for the user. And they are waterproof! We recommend choosing an M2 chair with joystick if you experience the following: The staff experience it is difficult to drive the user around in the current bath / toilet chair. Here, the joystick function can act as an auxiliary engine for the staff.

You have a heavy user and it is stressful for the staff to drive a regular chair even though they are 2 people. With a joystick chair, 1 person will be enough.

If you focus on the independence of your users. A chair with Joystick will significantly increase the user's independence with regard to bath and toilet.

TECHNICAL DATA PAGE 30

USER GUIDE

SPARE PARTS

M2 MULTI-TIP BIG WITH JOYSTICK	
Material	Stainless steel
Wheels	**Front wheels: 150 mm** **Rear wheels: 200 mm**
Max. Exterior width	71 cm
Weight of chair	59,4 kg
Seat heights	App. 55—101 cm
Seat width	56 cm
Width between armrests	56 cm
Max. User weight	200 kg

M2

MULTI-TIP BIG 250 KG
STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
Art.no. 310813

M2 Multi-Tip Big 250 kg is our largest shower commode chair in the Multi-Tip line. It has 70 cm between the armrests and a seat width of 74 cm. The chair is reinforced to a maximum user weight of 250 kg, and the seat is extra soft for optimal comfort. The armrests are equipped with soft PU foam and a snap lock.

The functions are the same as on our other Multi-Tip chairs, but in this shower commode chair there is extra space for larger users.

- The seat height is electrically adjusted from 56-95 cm.
- The seat angle can be adjusted from app. -6.5 ° to app. 35 °.
- All the functions of the chair can be operated from the hand control.

TECHNICAL DATA PAGE 31

USER GUIDE

SPARE PARTS

M2 MULTI-TIP BIG 250 KG	
Material	Stainless Steel
Wheels	150 mm
Seat width	74 cm
Seat depth	45 cm
Max. User weight	250 kg
Weight of chair	50 kg
Seat height	56—95 cm

M2

200 KG
WITH JOYSTICK, STAINLESS STEEL

HORSESHOE SEAT, STAINLESS STEEL
Art.no. 310274

The chair is made so it can withstand a user load of max. 200 kg. M2 200 kg Joystick is equipped with a joystick for controlled and motorized driving. It is made for the larger user, making them self-reliant and able to go to the toilet or take a shower by themselves.

In addition the helper can also drive the chair with the joystick, without having to push it. This removes the otherwise heavy load on the helpers back and shoulders. The chair easily maneuvers across carpets, tiles with deep grooves and any other difficult surfaces.

TECHNICAL DATA PAGE 32

USER GUIDE

SPARE PARTS

M2 200 KG MOTOR	
Material	Stainless steel
Wheels	**Front wheel:** 125 mm **Rear:** 200 mm
Max. Exterior width	71,5 cm
Weight of chair	30 kg
Seat heights	56,5 cm
Seat width	56 cm
Width between armrests	56 cm
Max. User weight	200 kg

M2 XXL
ACCESSORIES
HEADRESTS

Height & depth adjustable HEADREST, PU foam

Art.No. 310222

Height adjustable HEADREST, PU foam

Art.No. 310221

Height & depth adjustable HEADREST,
short bar + PU foam

Art.No. 310244



Super Soft height & depth adjustable HEADREST, PU foam

Art.No. 310235

M2 XXL
ACCESSORIES
HEADRESTS

Super Soft height & depth adjustable HEADREST,
short bar + PU foam
Art.No. 310243

Super Soft height adjustable HEADREST,
PU foam
Art.No. 310236

Height & depth adjustable HEADREST
for Multi-Tip
Art.No. 310871

Super Soft height adjustable HEADREST
for Multi-Tip
Art.No. 310870

M2 XXL
ACCESSORIES
FOOTRESTS, CALF REST, AMPUTATIONS SUPPORT, COMMODE PAN, HIPSTRAP & SIDE SUPPORTS

Reinforced height adjustable FOOTRESTS

Set, Art.No. 310275

CALF REST

Art.No. 310233

AMPUTATIONS SUPPORT

Right, Art.No. 800343
Left, Art.No. 800344





COMMODE PAN with lid

Art.No. 310048

ARMREST with increased width, reinforced for 200 & 250 kg

Right, Art.No. 310364
Left Art.No. 310365

HIPSTRAP

With velcro, Art.No. 330019
With buckle Art.No. 800404

SIDE SUPPORTS

Right, Art.No. 310225
Left, Art.No. 310224
Set, Art.No. 310223

Multi-Tip, Right, Art.No. 310881
Multi-Tip, Left, Art.No. 310882
Multi-Tip, Set, Art.No. 310880



M2 XXL
ACCESSORIES
URINE FUNNEL, SPLASH GUARD, SEAT & LID

URINE FUNNEL
Art.No. 148861

M2 SPLASH GUARD
Art.No. 148862
Doesn't fit M2 300 kg Wide El-Tip



STANDARD SEAT for M2 200 kg, M2 300 kg Standard,
M2 300 kg Bred & M2 Multi-Tip Big 200 Kg
Art.No. 310372

SUPERSOFT FOAM SEAT
With hole, Art.No. 330018
Without hole, Art.No. 330022

PRESSURE-RELIEF SEAT
Art.No. 330023

FULL FOOTPLATES FOR M2 FODRESTS + NEOPREN
Art.No. 310762, Wide
Art.No. 310763, Neopren Wide
Art.No. 310764, 300 kg El-Tip
Art.No. 310765, Neopren 300 kg El-Tip
Art.No. 310766, 400 kg – 400 kg El-Tip
Art.No. 310767, Neopren 400 kg – 400 kg El-Tip

LID for Horseshoe seat
Art.No. 310343

200 KG
SHOWER STOOL
STAINLESS STEEL

Art.No. Stainless steel	310145-2

200 kg Shower Stool

Made for large individuals and users that requires additional space.

The 70 cm seat width makes it big enough to accomodate most individuals, and will secure a comfortable fit. It is specifically designed to carry a max weight of 200 kg.

The stainless steel telescopic legs are adjustable with 4 seat heights: 43, 46, 49 and 52 cm.

Art. No:. 300301

BACK FOR 200 KG SHOWER STOOL

	200 KG SHOWER STOOL
Material	Frame: Stainless steel, Seat: Plastic lamella
Seat width	70 cm
Seat depth	39,5 cm
Max user weight	200 kg
Weight of product	9,5 kg
Height adjustments (seat)	44 cm—47 cm—50 cm—53 cm

USER GUIDE

SPARE PARTS

VIEW FULL TECHNICAL DATA PAGE 33

NEPTUN
SUPER SOFT 300 KG
STAINLESS STEEL

Art.No. Stainless steel	300300

Neptun Super Soft 300 kg Shower Stool

Made to fit larger users with the need of more space. The seat width of 75 cm meets the requirements of most users.

Reinforced to handle a max. Load of 300 kg, and the stool is made entirely in stainless steel. The stainless telescopic legs provide the shower stool with the height adjustment in 4 levels: 46, 49, 52 and 55 cm. It is height adjustable via clips and without any use of tools.

The seat and backrest is made of very soft PU foam. Both can be cleaned and detached easily, The backrest can be mounted without any use of tools.

Art. No:. 300301

BACK FOR NEPTUN SUPER SOFT 300 KG

	NEPTUN SHOWER STOOL 300 KG
Material	Frame: Stainless steel, Seat: PU-foam
Seat width	75 cm
Seat depth	36,5 cm
Seat height	46—49 cm—52 cm—55 cm
Max. User weight	300 kg
Weight of product	12,6 kg

USER GUIDE

SPARE PARTS

VIEW FULL TECHNICAL DATA PAGE 33

400 KG
SHOWER STOOL
STAINLESS STEEL

Art.No. Stainless steel	300305

400 kg Shower Stool
Made to fit larger users with the need of more space. The seat width of 93 cm meets the requirements of most users.

Reinforced to handle a max. Load of 400 kg, and the stool is made entirely in stainless steel. The stainless telescopic legs provide the shower stool with the height adjustment in 4 levels: 43, 46, 49, 52cm. It is height adjustable via clips and without any use of tools.

The backrest is made of very soft PU foam. The backrest can be mounted without any use of tools.

Art. No:. 300301

BACK FOR 400 KG SHOWER STOOL

	400 KG SHOWER STOOL
Material	Frame: Stainless steel, Seat: Plastic lamella
Seat width	93 cm
Seat depth	39,5 cm
Seat height	43cm–46cm–49cm–52cm
Max. User weight	400 kg
Weight of product	14,8 kg

USER GUIDE

SPARE PARTS

VIEW FULL TECHNICAL DATA PAGE 34

FREESTANDING TOILET AID
FRIGG, 200 KG 61 CM
STAINLESS STEEL

FRIGG 200 KG	SPLASH GUARD:	BUCKET
Art.no. 610014	Art.no. 610021	Art.no. 610022

The free-standing toilet aid Frigg 200 Kg is reinforced so that it can handle a user weight of up to 200 kg. It is produced in stainless steel to make it as long-lasting as possible. It is built very simply, so it is easy to clean.

It is equipped with telescopic legs in stainless steel and it is height-adjustable with a seat height of 45-57 cm. The height is easily adjusted without the use of tools using clips.

It can be supplied with a splash guard or bucket.

FREESTANDING TOILET AID

FRIGG, 200 KG 61 CM

STAINLESS STEEL

TECHNICAL DATA

	FRIGG 200 KG
SEAT HEIGHTS	45-57 CM
TOTAL HEIGHT (WITH SEAT UP)	90-101 CM
WIDTH BETWEEN ARMRESTS	61 CM
FREE HEIGHT UNDER TOILET SEAT	40-52 CM
WIDTHS AT FLOOR	74-76 CM
DEPTH AT FLOOR	45,5-47,5 CM
TILT POSITIONING	MAX. 3 CM IN DIFFERENCE (1 HOLE)
WEIGHT OF THE CHAIR	9 KG
STACKABLE	NO
MAX. USER WEIGHT	200 KG
SPLASH GUARD OR BUCKET INCL.	NO NO (PLEASE STATE IF YOU WANT BUCKET OR SPLASH GUARD WHEN ORDERING) ADJUST THE HEIGHT OF THE SPLASH GUARD BY CUTTING IF IT IS TO HIGH FOR THE TOILET
FRAME	STAINLESS STEEL, POWDER COATED WHITE
TELESCOPIC LEGS	STAINLESS STEEL 5 POSITIONS
TOILET SEAT	IN SOLID WHITE PLASTIC
RUBBER SHOES	GREY PLASTIC, WITH A HOLE IN THE BOTTOM
CLEANING	USE ONLY A MILD SOAP SOLUTION. DO NOT USE ABRASIVE, CORROSIVE CHLORINE BASED PRODUCTS TO CLEAN THE PRODUCT
DESCRIPTION	FREESTANDING TOILET AID FRIGG WITHOUT SPLASH GUARD/BUCKET
ART.NO.	610014
ISO NR.:	09 12 12
SPLASH GUARD	610021
BUCKET	610022

USER GUIDE

M2

200 KG

HEIGHT ADJUSTABLE & SELF-PROPELLED

STAINLESS STEEL TECHNICAL DATA

	M2 200 KG HEIGHT ADJUSTABLE	M2 200 KG SELF-PROPELLED
SEAT HEIGHTS	46—48—50—52—54,5 CM	50—52—59 CM
SEAT WIDTH	56 CM	
SEAT DEPTH	44 CM	
MAX. HEIGHT	87—89 – 91—93—95,5 CM	90—92—99 CM
MAX. WIDTH	68 CM	73 CM
SPACE BETWEEN THE ARMRESTS	56 CM	56 CM
CLEARENCE UNDER THE SEAT	36,5 - 38,5 - 40,5 - 42,5 - 45 CM	41—43—49 CM
LENGTH (WITHOUT THE FOOTRESTS)	68,5 CM	77 CM
WEIGHT OF THE CHAIR	18,5 KG	25 KG
MAX. USER WEIGHT	200 KG	
WHEELS	125 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. DEOUBLE ACTING BRAKE ON 3 WHEELS, 1 DIRECTION STEERED WHEELS.	**FRONT WHEELS:** 125 MM WHEELS W/GREY RUBBER DOUBLE ACTING BRAKES AND BEARINGS. **REAR WHEELS:** 24" MAGNESIUM WHEELS WITH THREE SPOKES
HEIGHT ADJUSTABLE	TELESCOPIC STAINLESS STEEL WITH 5 SETTINGS. THE HEIGHT IS ADJUSTED BY MEANS OF CLIPS (NO TOOLS)	**FRONT WHEELS:** IS ADJSUTED USING CLIPS (NO TOOLS) **SELF-PROPELLED WHEELS:** 3 HEIGHT SETTINGS, REAR WHEELS USING WRENCH. BRAKES USING ALLEN KEY.
BACKREST	39 X 20 CM, PU FOAM	39,5 X 25,5 CM, PU FOAM
SEAT & COVER	**SEAT:** 4,5 CM PU FOAM **ARMREST:** 2,5 CM PU FOAM **BACKREST:** 3 CM PU FOAM	
SURFACE/METAL	STAINLESS STEEL, POWDER COATED	

DESCRIPTION	Art.No
M2 200 KG, HEIGHT ADJUSTABLE	310272
M2 200 KG SELF-PROPELLED	310287
ISO-NUMBER	09 12 03

BACK TO PAGE 3-4

M2
300 KG
STANDARD & WIDE, STAINLESS STEEL
TECHNICAL DATA

	M2 300 KG STANDARD	M2 300 KG WIDE
SEAT HEIGHTS	56,5 CM	
SEAT WIDTH	56 CM	
SEAT DEPTH	44 CM (50 CM TO BACK)	
MAX. HEIGHT	96 CM	
MAX. WIDTH	70 CM	82 CM
SPACE BETWEEN THE ARMRESTS	60 CM	70 CM
CLEARENCE UNDER THE SEAT	51 CM	
LENGTH (WITHOUT THE FOOTRESTS)	63 CM	
WEIGHT PF THE CHAIR	20,4 KG	24,5 KG
MAX. USER WEIGHT	300 KG	
WHEELS	150 MM WHEELS W/GREY RUBBER AND BALL BEARINGS, DOUBLE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL	
HEIGHT ADJUSTABLE	NO	
BACKREST	39 X 20 CM PU FOAM	
SEAT & COVER	**SEAT**: 4,5 CM PU FOAM **ARMREST**: 2,5 CM PU FOAM	
SURFACE/METAL	STAINLESS STEEL, POWDER COATED	

DESCRIPTION:	Art.No
M2 300 KG STANDARD	310280
M2 300 KG WIDE	310284
ISO-NUMBER	09 12 03

BACK TO PAGE 5

M2
400 KG
STAINLESS STEEL

TECHNICAL DATA

	M2 400 KG
SEAT HEIGHTS	56 CM (No lid available)
SEAT WIDTH	95 CM
SEAT DEPTH	52 CM
MAX. HEIGHT	95 CM
MAX. WIDTH	101 CM
SPACE BETWEEN THE ARMRESTS	91 CM
CLEARENCE UNDER THE SEAT	45 CM
LENGTH (WITHOUT THE FOOTRESTS)	81 CM
WEIGHT PF THE CHAIR	30 KG
MAX. USER WEIGHT	400 KG
WHEELS	125 MM WHEELS W/GREY RUBBER AND BALL BEARINGS, DOUBLE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL
HEIGHT ADJUSTABLE	NO
BACKREST	30 X 89 CM DEPTH ADJUSTMENT UP TO 10 CM. THE NET FABRIC WITH SEWN WEBBING AND 4 BUCKLES FOR DEPTH ADJUSTMENT
SEAT & COVER	**SEAT**: 6,5 CM PU FOAM **ARMREST**: 2,5 CM PU FOAM
SURFACE/METAL	STAINLESS STEEL, POWDER COATED

DESCRIPTION:	Art.No
M2 400 KG	310294
ISO-NUMBER	09 12 03

BACK TO PAGE 6

M2

200 KG WIDE EL-TIP

WITH & WITHOUT JOYSTICK, STAINLESS STEEL

TECHNICAL DATA

	M2 200 KG WIDE EL-TIP	M2 200 KG WIDE EL-TIP W. JOYSTICK
SEAT HEIGHTS	58,5 CM	
SEAT WIDTH	56 CM	
SEAT DEPTH	44 CM	
MAX. HEIGHT	105 CM	
MAX. WIDTH	68 CM	
SPACE BETWEEN THE ARMRESTS	56 CM	
CLEARENCE UNDER THE SEAT	53 CM	
LENGTH (WITHOUT THE FOOTRESTS)	74 CM	70 CM
WEIGHT OF THE CHAIR	29 KG	44,4 KG
MAX. USER WEIGHT	200 KG	
SEAT ANGLE IN DEGREES	5° FORWARD TO 30° BACKWARDS	
WHEELS	150 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. DOBULE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL.	**FRONT:** 150 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. **REAR:** 200 MM SOLID WHEELS, ARMED ENGINE
HEIGHT ADJUSTABLE	NO	
BACKREST	30 X 53,5 CM DEOTH ADJUSTMENT UP TO 10 CM. THE NET FABRIC WITH SEWN WEBBING AND 4 BUCKLES FOR DEPTH ADJUSTMENT	
SEAT & COVER	**SEAT**: 4,5 CM PU FOAM **ARMREST**: 2,5 CM PU FOAM	
ELECTRIC MOTOR/ BATTERY SYSTEM	BATTERIES CAN USUALLY DRIVE THE CHAIR 30-40 TIMES BACK AND FORTH. STEPLESS BLOCKED ACTUATOR EL-TIGHTNESS = IP66 (DUSTTIGHT AND PROTECTED AGAINST WATER BEAMS)	GEARED MOTORS, CONTROL BOX, BATTERY AND JOYSTICK. JOYSTICK WITH BATTERY INDICATOR. EL-SEALINGSLEVELS = IP65 (PROTECTED FROM LOW PRESSURE WATER JETS FROM ANY DIRECTION. LIMITED INGRESS PROTECTION)
SURFACE/METAL	STAINLESS STEEL, POWDER COATED	

DESCRIPTIOM:	Art.No
M2 200 KG WIDE EL-TIP	310212
M2 200 KG WIDE EL-TIP W. JOYSTICK	310289
ISO-NUMBER	09 12 03

BACK TO
PAGE 7-8

M2

300 KG WIDE EL-TIP

STAINLESS STEEL

TECHNICAL DATA

	M2 300 KG WIDE EL-TIP
SEAT HEIGHTS	61 CM (No lid available)
SEAT WIDTH	75 CM
SEAT DEPTH	46 CM
MAX. HEIGHT	104 CM
MAX. WIDTH	83 CM
SPACE BETWEEN THE ARMRESTS	70 CM
CLEARENCE UNDER THE SEAT	54 CM
LENGTH (WITHOUT THE FOOTRESTS)	83 CM
WEIGHT OF THE CHAIR	32 KG
MAX. ISER WEIGHT	300 KG
SEAT ANGLE IN DEGREES	8° FORWARD TO 28° BACKWARDS
WHEELS	150 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. DOBULE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL.
HEIGHT ADJUSTABLE	NO
BACKREST	30 X 70 CM DEOTH ADJUSTMENT UP TO 10 CM. THE NET FABRIC WITH SEWN WEBBING AND 4 BUCKLES FOR DEPTH ADJUSTMENT
SEAT & COVER	**SEAT**: 5,5 CM PU FOAM **ARMREST**: 2,5 CM PU FOAM
ELECTRIC MOTOR/ BATTERY SYSTEM	BATTERIES CAN USUALLY DRIVE THE CHAIR 50+ TIMES BACK AND FORTH. STEPLESS BLOCKED ACTUATOR EL-TIGHTNESS = IP66 (DUSTTIGHT AND PROTECTED AGAINST WATER BEAMS)
SURFACE/METAL	STAINLESS STEEL, POWDER COATED

DESCRIPTIOM:	Art.No
M2 300 KG WIDE EL-TIP	310218

ISO-NUMBER	09 12 03

BACK TO PAGE 9

M2

400 KG

WIDE EL-TIP, STAINLESS STEEL

TECHNICAL DATA

	M2 400 KG WIDE EL-TIP
SEAT HEIGHTS	56 CM (No lid available)
SEAT WIDTH	95 CM
SEAT DEPTH	51 CM
MAX. HEIGHT	100 CM
MAX. WIDTH	103 CM
SPACE BETWEEN THE ARMRESTS	89 CM
CLEARENCE UNDER THE SEAT (Does not fit over a toilet)	46 CM
LENGTH (WITHOUT THE FOOTRESTS)	86 CM
WEIGHT OF THE CHAIR	50 KG
MAX. USER WEIGHT	400 KG
SEAT ANGLE IN DEGREES	APP 5° FORWARD TO APP 30° BACKWARDS
WHEELS	125 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. DOBULE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL.
HEIGHT ADJUSTABLE	NO
BACKREST	30 X 89 CM DEPTH ADJUSTMENT UP TO 10 CM. THE NET FABRIC WITH SEWN WEBBING AND 4 BUCKLES FOR DEPTH ADJUSTMENT
SEAT & COVER	**SEAT**: 6,5 CM PU FOAM **ARMREST**: 2,5 CM PU FOAM
ELECTRIC MOTOR/ BATTERY SYSTEM	BATTERIES CAN USUALLY DRIVE THE CHAIR 50+ TIMES BACK AND FORTH. STEPLESS BLOCKED ACTUATOR EL-TIGHTNESS = IP66 (DUSTTIGHT AND PROTECTED AGAINST WATER BEAMS)
SURFACE/METAL	STAINLESS STEEL, POWDER COATED

DESCRIPTION:	Art.No
M2 400 KG WIDE EL-TIP	310242
ISO-NUMBER	09 12 03

BACK TO
PAGE 10

M2

MULTI-TIP BIG 200 KG

WITH & WITHOUT JOYSTICK

STAINLESS STEEL

TECHNICAL DATA

	M2 MULTI-TIP BIG 200 KG	M2 MULTI-TIP BIG W. JOYSTICK
SEAT HEIGHTS	55—101 CM	
SEAT WIDTH	56 CM	
SEAT DEPTH	44 CM	
MAX. HEIGHT	154 CM	
MAX. WIDTH	71 CM	
SPACE BETWEEN THE ARMRESTS	56 CM	
CLEARENCE UNDER THE SEAT	49,5—95,5 CM	
LENGTH (WITHOUT THE FOOTRESTS)	82 CM (112 CM WITH FOOTRESTS))	
WEIGHT OF THE CHAIR	40,5 KG	55,9 KG
MAX. USER WEIGHT	200 KG	
SEAT ANGLE IN DEGREES	5° FORWARD TO 30° BACKWARDS	
WHEELS	150 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. DOBULE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL.	**FRONT:** 150 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. **REAR:** 200 MM SOLID WHEELS, ARMED ENGINE
HEIGHT ADJUSTABLE	YES	YES
BACKREST	53 X 43,5 CM. DEPTH ADJUSTMENT UP TO 10 CM. NETWEAVE ADJSUTABLE WITH 4 BUCKLES FOR DEPTH ADJUSTMENT. WASHABLE	
ELECTRIC MOTOR / BATTERI SYSTEM	CONTINUOUSLY VARIABLE BLOCKABLE ENGINE. SURFACE TREATED METAL. THE BATTERIES CAN NORMALLY OPERATE UP AND DOWN 50+ TIMES BEFORE BEING RECHARGED. EL-TIGHTNESS = IP66 (DUSTPROOF AND PROTECTED AGAINST WATER BEAMS)	GEARED MOTORS, CONTROL BOX, BATTERY AND JOYSTICK. JOYSTICK WITH BATTERY INDICATOR. EL-SEALINGSLEVELS = IP65 (PROTECTED FROM LOW PRESSURE WATER JETS FROM ANY DIRECTION. LIMITED INGRESS PROTECTION)
SURFACE/METAL	STAINLESS STEEL, POWDER COATED	

DESCRIPTION:	ART. NO
M2 MULTI-TIP BIG 200 KG, HORSESHOE SEAT	310804-B
M2 MULTI-TIP BIG W. JOYSTICKHORSESHOE SEAT	310809
THE CHAIR CAN BE DELIVERED ASSEMBLED FOR EXTRA SERVICE CHARGE. USE THE PRODUCTS ART.NO. + ART.NO.	310363
ISO-NUMBER	09 12 03

BACK TO PAGE 11-12

M2

MULTI-TIP BIG 250 KG

SHOWER COMMODE CHAIR

STAINLESS STEEL

TECHNICAL DATA

	M2 MULTI-TIP BIG 250 KG
SEAT HEIGHTS	56–95 CM
SEAT WIDTH	74 CM
SEAT DEPTH	45 CM
MAX. WIDTH	87 CM
SPACE BETWEEN THE ARMRESTS	70 CM
CLEARENCE UNDER THE SEAT	59–95 CM
LENGTH (WITHOUT THE FOOTRESTS)	80 CM (109 CM WITH FOOTRESTS)
WEIGHT OF THE CHAIR	50 KG
MAX. USER WEIGHT	250 KG
SEAT ANGLE IN DEGREES	APP. 6,5° FORWARD TO APP. 35° BACKWARDS
WHEELS	150 MM WHEELS W. GREY RUBBER AND BALL BEARING. DOUBLE ACTING BRAKE ON 3 OF THE WHEELS. THE FOURTH WHEEL IS A DIRECTIONAL WHEEL
HEIGHT ADJUSTABLE	YES
BACKREST	69 X 43,5 CM DEPTH ADJUSTMENT UP TO 10 CM. NETWEAVE WITH SEWED ON WEBBING AND 4 BUCKLES FOR ADJUSTING DEPTH.
ELECTRIC MOTOR / BATTERI SYSTEM	CONTINUOUSKY VARIABLE BLOCKABLE ENGINE. SURFACE TREATED METAL THE BATTERIES CAN NORMALLY OPERATE UP AND DOWN 30+ TIMES BEFORE BEING RECHARGED. EL-TIGHTNESS = IP66 (DUSTPROOF AND PROTECTED AGAINST WATER BEAMS)
SURFACE/METAL	STAINLESS STEEL, POWDER COATED

DESCRIPTION:	ART. NO
M2 MULTI-TIP BIG 250 KG HORSESHOE SEAT	310813
ISO-NUMBER	09 12 03

BACK TO PAGE 13

M2
200 KG
JOYSTICK
STAINLESS STEEL

TECHNICAL DATA

	M2 200 JOYSTICK
SEAT HEIGHT	56,5 CM
SEAT WIDTH	56 CM
SEAT DEPTH	44 CM
MAX. HEIGHT	96,5 CM
MAX. WIDTH	71,5 CM
SPACE BETWEEN THE ARMRESTS	56 CM
CLEARENCE UNDER THE SEAT	51 CM
LENGTH (WITHOUT THE FOOTRESTS)	71 CM
WEIGHT OF THE CHAIR	30 KG
MAX. USER WEIGHT	200 KG
WHEELS	**FRONT:** 150 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. **REAR:** 200 MM SOLID WHEELS, ARMED ENGINE
HEIGHT ADJUSTABLE	NO
BACKREST	39 X 20 CM PU FOAM
SEAT & COVER	**SEAT**: 5,5 CM PU FOAM **ARMREST:** 2,5 CM PU FOAM
ELECTRIC MOTOR / BATTERI SYSTEM	GEARED MOTORS, CONTROL BOX, BATTERY AND JOYSTICK. JOYSTICK WITH BATTERY INDICATOR. EL-SEALINGSLEVELS = IP65 (PROTECTED FROM LOW PRESSURE WATER JETS FROM ANY DIRECTION. LIMITED INGRESS PROTECTION)
SURFACE/METAL	STAINLESS STEEL, POWDER COATED

DESCRIPTION:	Art.No
M2 200 KG JOYSTICK HORSESHOE SEAT	310274
ISO-NUMBER	09 12 03

BACK TO PAGE 14

M2

200 & 300 KG
SHOWER STOOL, STAINLESS STEEL
TECHNICAL DATA

	200 KG SHOWER STOOL	NEPTUN 300 KG SUPER SOFT
SEAT HEIGHT	43–46–49–52 CM	46–49–52–55 CM
MAX. TOTAL HEIGHT	67 CM	67 CM
MIN. TOTAL HEIGHT	58 CM	58 CM
SEAT WIDTH	70 CM	75 CM
MAX. WIDTH AT FLOOR	83 CM	86 CM
MIN. WIDTH AT FLOOR	82 CM	85 CM
SEAT DEPTH	39,5 CM	40 CM
MAX. DEPTH AT FLOOR	48 CM	58 CM
MIN. DEPTH AT FLOOR	46 CM	56 CM
WEIGHT OF THE SHOWER STOOL	9,4 KG	12,6 KG
MAX. USER WEIGHT	200 KG	300 KG
SURFACE TREATMENT	POWDER COATED, WHITE	
SEAT	PLASTIC SLATES 60 MM WIDTH AND 6 MM THICK	PU FOAM
RUBBER FEETS	NON SLIP TECHNICAL GREY RUBBER–NO MARKS NO THE FLOOR. HOLE IN THE RUBBER FEET FOR OURFLOW OF WATER.	
TELESCOPIC LEGS	STAINLESS STEEL, 4 LEVELS OF HEIGHTS AT 3 CM INTERVALS. ADJUSTABLE BY CLIPS	STAINLESS STEEL, 3 LEVELS OF HEIGHTS AT 3 CM INTERVALS. ADJUSTABLE BY CLIPS

DESCRIPTION:	Art.No
200 KG SHOWER STOOL	310145-2
NEPTUN SUPER SOFT 300 KG SHOWER STOOL	300300
ISO-NUMBER	09 12 03

BACK TO
PAGE 19-20

400 KG

SHOWER STOOL
STAINLESS STEEL

TECHNICAL DATA

	400 KG SHOWER STOOL
SEAT HEIGHT	43—46—49—52 CM
MAX. TOTAL HEIGHT	67 CM
MIN. TOTAL HEIGHT	58 CM
SEAT WIDTH	93 CM
MAX. WIDTH AT FLOOR	105 CM
MIN. WIDTH AT FLOOR	103,5 CM
SEAT DEPTH	39,5 CM
MAX. DEPTH AT FLOOR	48 CM
MIN. DEPTH AT FLOOR	44 CM
WEIGHT OF THE SHOWER STOOL	14,8 KG
MAX. USER WEIGHT	400 KG
SURFACE TREATMENT	POWDER COATED, WHITE
SEAT	PLASTIC SLATES 60 MM WIDTH AND 6 MM THICK
RUBBER FEETS	NON SLIP TECHNICAL GREY RUBBER—NO MARKS NO THE FLOOR. HOLE IN THE RUBBER FEET FOR OURFLOW OF WATER.
TELESCOPIC LEGS	STAINLESS STEEL, 4 LEVELS OF HEIGHTS AT 3 CM INTERVALS. ADJUSTABLE BY CLIPS
DESCRIPTION:	**Art.No**
400 KG SHOWER STOOL	300305
ISO-NUMBER	09 12 03

BACK TO
PAGE 20-21

HMN since 1934

V 1.9 14-02-2023

CE

WWW.HMN.DK/EN